


SYSTEMS OF FIRST ORDER ODE S - LINEAR EQUATIONS - REAL EIGENVALUES - PHASE PORTRAITS

1. Suppose we have massless rod of length L , which is fixed to frictionlessly rotate about an endpoint with ridged mass m fixed at the other endpoint. Choosing the coordinate system depicted in the following diagram,



allows one to derive the following second-order differential equation,¹

$$m \frac{d^2\theta}{dt^2} + b \frac{d\theta}{dt} + \frac{mg}{L} \sin(\theta) = f(t) \quad (1)$$

where the dependent variable θ measures the radial displacement from equilibrium as a function of time.²

- Using the substitution $\frac{d\theta}{dt} = \omega$ derive a system of first order ordinary differential equations, which models the displacement of the pendulum, from equilibrium, as a function of time.
- Classify the *type, order, and linearity* of the previous system of differential equations.
- Assuming that $\theta \ll 1$ and derive a linear system of differential equations, which models the motion of the pendulum.

2. Given,

$$\frac{dx}{dt} = x \quad (2)$$

$$\frac{dy}{dt} = -y \quad (3)$$

- Using eigenvalues and eigenvectors, find the general solution of this system.
- Graph, by hand, the phase portrait associated with the system and using HPGSYSTEMSOLVER check your work.
- Find and classify any equilibrium solutions.
- Noticing that the system is decoupled, solve each ODE by the methods of chapter 1 and show that this yields the same solution you found in part (a).

3. Given that $\frac{d\mathbf{Y}}{dt} = \mathbf{A}\mathbf{Y}$ where $\mathbf{A} = \begin{bmatrix} -1 & 2 \\ 0 & -3 \end{bmatrix}$.

- Find the general solution of this system.
- Using HPGSYSTEMSOLVER plot the phase portrait and classify the equilibrium solution.

¹See chapter 5 of text for details.


²Similar to the ideal mass spring system from before we have $b \equiv$ coefficient of kinetic friction and $f(t) \equiv$ applied force.

4. Given that $\frac{d\mathbf{Y}}{dt} = \mathbf{A}\mathbf{Y}$ where $\mathbf{A} = \begin{bmatrix} 1 & 0 \\ 0 & \alpha \end{bmatrix}$. Describe how the phase portrait of the system changes as $\alpha > 0^+$ and $\alpha < 0^-$.


5. Match the following systems with the corresponding direction fields.

(a) $\frac{dx}{dt} = y$	(b) $\frac{dx}{dt} = x$	(c) $\frac{dx}{dt} = \sin(y)$	(d) $\frac{dx}{dt} = y$
$\frac{dy}{dt} = -x - 3y$	$\frac{dy}{dt} = y$	$\frac{dy}{dt} = \cos(x)$	$\frac{dy}{dt} = x$


I.



II.



III.



IV.

