MATH348 - April 15, 2011 Exam II - 50 Points

NAME:

In order to receive full credit, SHOW ALL YOUR WORK. Full credit will be given only if all reasoning and work is provided. When applicable, please enclose your final answers in boxes.

- 1. (10 Points) Conceptual Questions. For the following questions, assume that we are considering the physical problem on a bounded domain, $x \in (0, 1)$.
 - (a) Write down the <u>heat</u> and <u>wave</u> equations and any <u>initial conditions</u> needed for unique solutions.

(b) Suppose we are given the boundary conditions u(0,t) = 0 and $u_x(1,t) = 0$ for each problem. Explain the physical meaning of **each** boundary condition for **both** the heat equation and wave equation.

(c) How do solutions of these heat and wave equations behave/evolve in time?

(d) If u(x,t) is an equilibrium solution, $\frac{\partial u}{\partial t} = 0$, for all t, to the heat equation then is it a solution to the wave equation? Explain.

2. (10 Points) Quickies

(a) Given,

$$F''(x) + \lambda F(x) = 0, \ \lambda \in [0, \infty).$$

The following table contains different boundary conditions for the ODE. Fill in each table element with either a yes or a no.

	Boundary value prob-	Boundary value prob-	Boundary value prob-
	lem has a cosine solu-	lem has a sine solution	lem has a nontrivial
	tion		constant solution
F'(0) = 0, F'(L) = 0			
$F(0) = 0, \ F'(L) = 0$			
F(0) = 0, F(L) = 0			
F'(0) = 0, F(L) = 0			

(b) Suppose that we know that,

$$G_n(t) = B_n e^{-k_n c^2 t}, \quad B_n \in \mathbb{R},$$

 $F_n(x) = \cos(k_n x), \quad k_n = n\pi, \quad n = 0, 1, 2, \cdots,$

are the temporal and spatial solutions to some heat equation. Assuming that u(x, 0) = f(x):

i. Write down the general solution to the PDE.

ii. Solve for any unknown constants in terms of f(x).

iii. What is long term behavior of the temperature of this one-dimensional object?

3. (10 Points) Show that the function solves its associated differential equation.

(a) $u(x,y) = \ln(x^2 + y^2)$ for $u_{xx} + u_{yy} = 0$.

(b) u(x,t) = f(x - ct) for $u_{tt} = c^2 u_{xx}$.

4. (10 Points) Using separation of variables define three ODEs consistent with the PDE,

$$\frac{\partial^2 u}{\partial x \partial y} = \frac{\partial u}{\partial x} + \frac{\partial^2 u}{\partial y^2} + \frac{\partial^2 u}{\partial z^2}.$$
(1)

5. (10 Points) Solve the following partial differential equation,

$$\frac{\partial^2 u}{\partial t^2} + 2\frac{\partial u}{\partial t} = \frac{\partial^2 u}{\partial x^2}, \ x \in \left(0, \frac{1}{2}\right), \ t \in (0, \infty),$$
$$u(0, t) = 0, \ u\left(\frac{1}{2}, t\right) = 0, \ u(x, 0) = 0, \ u_t(x, 0) = g(x).$$